

Propyleneglycol

CODE ARTICLE: 93684	BATCH: 0126111
TEST DATE: 19/02/2024	TEST: QC-00261526
EXPIRY DATE: 01/02/2026	FABRICATION DATE: 02/02/2024
CAS: [57-55-6]	MR: 76,06
SYNONYMS / BOTANICAL NAME: 1,2-Propanodiol; Propane-1,2-diol; Propandiol-(1,2)	
STORAGE: Store in tightly closed containers in a cool, dry place.	

TEST	RESULTS	Units	MIN	MAX	METHOD
APPEARANCE	CONFORM	-		Transparent liquid	PH.EUR.*
COLOUR	CONFORM	-		Colourless	PH.EUR.*
IDENTIFICATION					
RELATIVE DENSITY IDENTIFICATION [A]	1,038	-	1,035	1,04	PH.EUR.
INDEX OF REFRACTION IDENTIFICATION [B]	1,433	-	1,431	1,433	PH.EUR.
BOILING POINT IDENTIFICATION [C]	184	°C	184	189	PH.EUR.
MELTING POINT IDENTIFICATION [D]	126	°C	121	128	PH.EUR.
APPEARANCE	CONFORM	-		Clear and colourless	PH.EUR.
ACIDITY	0,01	ML	-	0,05	PH.EUR.
OXIDIZING SUBSTANCES	0,02	ML	-	0,2	PH.EUR.
REDUCING SUBSTANCES	CONFORM				PH.EUR.
WATER	0,003	%	-	0,2	PH.EUR.
SULPHATED ASHES	0,0025	%	-	0,01	PH.EUR.
ASSAY	99,95	%	99,8	-	USP
ACIDITY	0,02	ML	-	0,2	USP
CHLORIDE	<70	MG/KG		70	USP
RESIDUE ON IGNITION	0,0025	%	-	0,007	JP
SPECIFIC GRAVITY (25°C)	1,036	-	1,035	1,037	USP
SULPHATES	<60	MG/KG		60	USP
IDENTIFICATION					
IR IDENTIFICATION [A]	CONFORM				USP*
LIMIT ETHYLENE GLYCOL IDENTIFICATION [B]	CONFORM				USP
LIMIT DIETHYLENE GLYCOL IDENTIFICATION [B]	CONFORM				USP
CG IDENTIFICATION [C]	CONFORM				USP
ASSAY	99,95	%	99,8	-	FCC
ACIDITY	CONFORM				FCC
APPEARANCE	CONFORM			Clear and colourless	FCC
DESTILLATION, IBP	186,4	°C	185	-	FCC
DESTILLATION, DP	187,6	°C	-	189	FCC
LEAD	<1	MG/KG		1,0	FCC
IDENTIFICATION					
IR IDENTIFICATION	CONFORM				FCC
RESIDUE ON IGNITION	0,0025	%	-	0,007	FCC
SPECIFIC GRAVITY (25°C)	1,036	-	1,035	1,037	FCC
WATER	0,003	%	-	0,2	FCC
SAMPLING	COLLECT				Manufacturer's Standard
CORRECT BATCH	YES				Manufacturer's Standard
SPECIFICATION	PH.EUR 11, USP, FCC, JP				Manufacturer's Standard

NON-sterile

The data expressed in this certificate of analysis is facilitated by our supplier and/or obtained in our control laboratory, in no case being exempted of the controls demanded by each sector. Tests marked with (*) are verified in Guinama.

Manufacturer Batch: F820O22PI2 Manufacturer Code: 56856 Supplier Code: 42661

GUINAMA S.L. C/ OSLO,3 (before C/Praga) POL.IND. GUTENBERG 46185 La Pobla de Vallbona (Valencia) Spain
Phone: +34 96 186 90 90 / 902 11 98 16 Fax: 96 185 03 52 E-mail: ventas@guinama.com - www.guinama.com



Propyleneglycol

CODE ARTICLE: 93684	BATCH: 0126111
TEST DATE: 19/02/2024	TEST: QC-00261526
EXPIRY DATE: 01/02/2026	FABRICATION DATE: 02/02/2024
CAS: [57-55-6]	MR: 76,06
FORMULA: C3H8O2	
SYNONYMS / BOTANICAL NAME: 1,2-Propanodiol; Propane-1,2-diol; Propandiol-(1,2)	
STORAGE: Store in tightly closed containers in a cool, dry place.	

TEST	RESULTS	Units	MIN	MAX	METHOD
------	---------	-------	-----	-----	--------



The product has been handled in NON-sterile rooms, therefore this product IS NOT STERILE

Silvia Sancho-Tello Ripoll
Technical Director.

The data expressed in this certificate of analysis is facilitated by our supplier and/or obtained in our control laboratory, in no case being exempted of the controls demanded by each sector. Tests marked with (*) are verified in Guinama.

Manufacturer Batch: F820O22PI2 Manufacturer Code: 56856 Supplier Code: 42661

GUINAMA S.L. C/ OSLO,3 (before C/Praga) POL.IND. GUTENBERG 46185 La Pobla de Vallbona (Valencia) Spain
Phone: +34 96 186 90 90 / 902 11 98 16 Fax: 96 185 03 52 E-mail: ventas@guinama.com - www.guinama.com

