QUALITY CONTROL

Caesar & Loretz GmbH Herderstr. 31 40721 Hilden Phone: 02103/49940

Certificate of analysis



Article 4060 Dexpanthenol, API

Synonym Alcohol pantothenylicus, Dexpanthenolum

Synonym Dexpanthenol, API

Batch 24001962

Specification Ph.Eur. 11.1

Production date 06.2023 Retest date 06.2026

Production date	06.2023	Retest date	06.2026	
Test		Specification	Result	
Characters		According to specification	Complies	
Appearance		According to specification	Complies	
Solubility		According to specification	Complies	
Identification		According to specification	Complies	
A		According to specification	Complies	
IR spectrophotometry		According to specification	Complies	
Raman spectophotometry		According to specification	Complies	
Tests		According to specification	Complies	
Appearance of solution		According to specification	Complies	
pH-Value		Max. 10.5	10.0	
Specific optical rotation		29.0 32.0	31.4	
Impurity A and other amino compounds		Max. 1.0 %	0.4 %	#
Related substances		According to specification	Complies	
Impurity C		Max. 1.0 %	0.5 %	
Impurity B		Max. 0.5 %	0.1 %	
Each unspecified impurity		Max. 0.10 %	< 0.05 %	
Total of all impurities		Max. 2.0 %	< 0.1 %	
Water		Max. 1.0 %	0.3 %	
Sulphated ash		Max. 0.1 %	< 0.1 %	#
Assay		98.0 101.0 %	99.2 %	#
Correction factor weighing (f, NRF)		1,000	1,011	
Complies specification			Yes	

Print date (mm-dd-yy) 10-24-24 Page 1 of 2

QUALITY CONTROL

Caesar & Loretz GmbH Herderstr. 31

40721 Hilden Phone: 02103/49940

Certificate of analysis



Article 4060 Dexpanthenol, API

Synonym Alcohol pantothenylicus, Dexpanthenolum

Synonym Dexpanthenol, API

Batch 24001962

Specification Ph.Eur. 11.1

Production date 06.2023 Retest date 06.2026

Release date 24.10.2024 Released by Frau Apoth. Dr. Schücker, QP

Manufacturer BASF SE

Manufacturer batch 93924577L0

Manufacturer street
Carl-Bosch-Straße 38
Manufacturer city
67056 Ludwigshafen

Manufacturer country

Deutschland

GMP-compliant production and testing of the active pharmaceutical ingredients

Results marked with # were taken from the manufacturer's certificate.

The batch 24001962 complies specification.

This document has been generated automatically and is valid without signature.

Print date (mm-dd-yy) 10-24-24 Page 2 of 2